

Case No. 5297/255

| | |
|--------------|-------------------------------|
| Appl. No. : | Not yet assigned |
| Applicant : | Medela Holding AG |
| Inventor: | Michael Larsson |
| Filed : | HEREWITH |
| Title : | DRAINAGE APPARATUS AND METHOD |
| Docket No. : | 5297/255 |

Michael H. Baniak, Reg. No. 30,608
Attorney for Applicant
Steven B. Courtright, Reg. No. 40,966
Agent for Applicants

USPTO 19 MAY 2006

| | | |
|--|--------------------------------|--------------------|
| FORM PTO-1449 INFORMATION DISCLOSURE STATEMENT BY APPLICANT Sheet 1 of 1 | Application Number: | Not yet assigned |
| | Filing Date: | Here with 5/19/982 |
| | First Named Inventor: | Michael LARSSON |
| | Group Art Unit: | 3761 |
| | Examiner Name: | /Ilya Treyger/ |
| | Attorney Docket Number: | 5297/255 |

U.S. PATENT DOCUMENTS

| Examiner Initials | Cite No. ¹ | Document Number Number-Kind Code ² (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
|-------------------|-----------------------|---|--------------------------------|--|---|
| /I.I.J | A1 | US-4,536,180 | 08/20/1985 | Johnson | |
| /I.I.J | A2 | US-6,129,701 | 10/10/2000 | Cimino | |
| /I.I.J | A3 | US-4,735,606 | 04/05/1988 | Davison | |
| /I.I.J | A4 | US-5,738,656 | 04/14/1998 | Wagner | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |
| | | US- | | | |

FOREIGN PATENT DOCUMENTS

| Examiner Initials | Cite No. ¹ | Foreign Patent Document Country Code ³ Number ⁴ Kind Code ⁵ (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ⁶ |
|-------------------|-----------------------|---|--------------------------------|---|--|----------------|
| | A5 | | | | | |
| | A6 | | | | | |
| | A7 | | | | | |
| | A8 | | | | | |
| | A9 | | | | | |

| | |
|--|-----------------------------------|
| EXAMINER SIGNATURE /Ilya Treyger/ | DATE CONSIDERED 02/03/2009 |
|--|-----------------------------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.